



Foray Report for: Banksia Beach Community Centr Date 27/06/2009

Species	Field	Record	Substrate	Assoc organism	Habi	Key	Col	Id:	Herb	Notes
Agaricus sp	9	934	sand					JA	JA	Appears to be an unidentified Agaricus
Amanita armeniaca	34	958	sand	Lophostemnon co		AM	MP	PL		
Amanita murina	7	932	soil	Lophostemnon co		AM	JA	PL	Mt.	
Amanita xanthocephala var r	13	938	sand	Lophostemnon co		AM	JA	PL	Mt.	Microscopically this accords with Amanita xanthocephala, but this seems to be a bright red form hence 'var rubra'
Banksiomyces sp	31	955	cone	Banksia sp			MP	PL	RBG	
Clavulinopsis sp	25	950	sand				PL	PL		An unidentified white Clavulinopsis.
Collybia kurara	24	948	litter			GS	KP	PL		This appears to be the first record for this fungus in Queensland.
Collybia percava	4	929	litter			GS	JA	PL	Mt.	
Cortinarius sp	16	941	sand	Lophostemnon co			FG	PL	Mt.	A spectacular Cortinarius with a slimy brown cap, violet gills and a large emarginate bulb in the section Phlegmacium.
Cortinarius sp	27	951	sand	Lophostemnon co			JA	PL		A Cortinarius with a purple cap, yellow gills and small subglobose spores. Very striking but could not be found in the literature.
Cyathus striatus	12	937	litter				MP			
Fomitopsis lilacinogilva	6	931	log			QF		M		
Ganoderma resinaceum	17	942	trunk	Lophostemnon co			MP	PL		A lacquered shiny Ganoderma on a living tree trunk.

Species	Field	Record	Substrate	Assoc organism	Habi	Key	Col	Id:	Herb	Notes
Geastrum saccatum	10	935	sand			GS	JA	PL	Mt.	
Hebeloma sp	8	933	sand			FU	MP	M		Appears to be an undescribed Hebeloma sp.
Hypholoma sp	28	952	log				KP	PL		
Inocybe asterospora	20	945	sand	Lophostemnon co			PL	PL		This Inocybe has spectacular star shaped spores. This appears to be only the first second record for this fungus in Australia. So far found only in Queensland.
Inocybe australiensis	29	953	sand	Lophostemnon co			PL	KP	Mt.	A small chocolate brown Inocybe with a conical very fibrillose cap and metuloid cystidia. Well known in Western Australia his is none the less the first confirmed Queensland record for this species.
Inocybe griseolilacina	22	946	sand	Lophostemnon co			PL	PL	Mt.	This Inocybe with smooth spores and metuloid cystidia has a violaceus stipe. This appears to be a first record for Australia.
Laccaria lateritia	1	926	sand	Lophostemnon co	NK		PL	PL		
Lepiota sp	33	957	litter					PL		
Marasmius sp	5	930	leaf				MP	FG		
Marasmius sp	2	927	stem				FG	FG		
Mycena sp	23	947	twig			MY	FG	FG		
Pyconoporus coccineus	11	936	branch				JA	FG		
Russula sp 4	32	956	sand	Lophostemnon co			PL	PL		
Schizophyllum commune	3	928	branch				JA	PL		
Scleroderma sp	19	944	sand				LS	PL		

Species	Field	Record	Substrate	Assoc organism	Habi	Key	Col	Id:	Herb	Notes
Setcheliogaster tenuipes	15	940	sand	Lophostemnon co		GS	LS	PL		A cortinarioid truffle with large winged warty spores, this appears to be the first record of this fungus in Queensland and only the third in Australia.
Spathularia sp	25	949	log				MP	M		
Trametes sp	14	939	branch			HO	MP	M		
Tulostoma adhaerens	30	954	sand			GS	JA	PL		A stalked puffball with a hard sand encrusting cup around its lower half. Previously only known from Victoria, this is the first Queensland record for this fungus.