

**QMS foray - Mt Cordeaux, Cunningham's Gap 26.5.2012.**

Temperature car park 1 pm. 10 Cel. It had rained previous 2 days, ground saturated, track firm, clear sunny day.

Species	Substrate, Assoc organism	Notes
<i>Auricularia auricula-judae</i>	underneath dead tree	
Coral	soil	forked, fine horn, cream, white with tan tip
Coral	soil	lemon-yellow. Clusters of 6-7
Coral	soil	5mm +, creamy white
<i>Cymatoderma elegans</i>	on dead branch, under low ground cover	caramel top
<i>Favolaschia sp.</i>	log	
<i>Geastrum</i>	in roots base of tree	2 close together, purple/light brown??
Hygrocybe ?	3 on wood between roots	salmon /mauve, v uneven pleated/ folded, even twisted gills, some gills deep, stipe even
Jelly	deep humus in rotten log	round, with central foot attachment, caramel both sides, viscous, rim edge furrowed
<i>Lycoperdon pyriforme</i>	soil, by path	mature clump of 6, largest 40 mm W, 60 mm H
Marasmius ?	soil	moist cap, see BF p86 ? 118? white, cap splits apart in older specimens
<i>Mycena marangania</i> ?	on a root, in moist soil, leaf litter	60 mm H, 30 mm W, umbo deeper brown, light brown gills
<i>Mycena sp.</i> ?	On <i>Grevillea robusta</i> , from soil -10 cm - 2m	tiny, white with darker umbo, "parasolic", solitary but in large numbers
Polypore	1-2 m tiered layers along dead log	top caramel-brown, under creamy light yellow, with crusty, warty bits, soft, furry texture
Puffball	on wet, dead stump	brown, in clusters, same as no 6 ?
<i>Scutellinia scutellata</i>	singly along mossy dead log	
Stereum like, gills	long, tiered row on log	Gilled stereum like, caramel with cream fringe
?	solitary in soil	convex cap, 30 mm, jelly like, sticky cap, with white dots around margin, 35 mm stipe, brown base with a distinct brown margin at top of stipe, shaggy/ scurfy remnants,

Also noted: 12 agarics, 9 polypores, 6 leathers/ crusts, 3 corals, 6 jelly, 3 puffballs, 1 Asco, no Boletes.













