


Exploring Australia's Dry Country for Fungi

May 2015
Fran Guard



Gluepot Reserve –typical mallee and casuarina woodland with acacia, senna, saltbush, eremophila understorey.....annual rainfall 200mm.









Pycnoporus coccineus (perhaps)



Tremella mesenterica - a surprise!

Where are the Mycorrhizal Fungi and what species are they?





Phellorinia herculeana
subsp. *herculeana*



Tulostoma sp. 30-40mm tall, 9-15mm wide



Tulostoma sp. ~15 X 5-8mm; habitat *Casuarina pauper*



Geastrum sp. gathered from Casuarina woodland







The miracle of rain on the Cryptogamic crust









Innamincka region average annual rainfall is 125mm



Coongie Lakes NP - NNW of Innamincka, S.A.



Black spores ?*Stropharia*



Pisolithus sp.

Podaxis pistillaris (with cap)





Podaxis pistillaris

Typical Artesian Bore Drain line at Bowra Sanctuary – Cunnamulla: annual rainfall 350mm






An *Agaricus* sp. (possibly *campestris*) growing near an ephemeral wetland at Bowra Sanctuary





Pisolithus sp.
Horse Dung fungi





Fungi Au App

Gregg Cook

gippslandmediation@netspace.net.au

Or

AspiringAustralia@netspace.net.au